

Road King


Rotating Tungsten Carbide Picks
Pick Changing Tools



Divide and conquer on the road!




Stabilizer King 22mm (.87 Inch) • SK4-01



		pieces	pieces per
order number	catalog number	per box	pallet
6080876	SK4-01	40	2400


Stabilizer King 22mm (.87 Inch) • SK3-01






order number	catalog number	pieces per box	pieces per pallet
order number	catalog number	per box	pallet
6080871	SK3-01	40	2400

Stabilizer King 22mm (.87 Inch) • SK6-01T



		pieces	pieces per
order number	catalog number	per box	pallet
6517493	SK6-01T	40	2400

Stabilizer King 22mm (.87 Inch) • SK3-01T



Dimensions shown in (millimeters) and inches.



15

Wear Life Features



Stage 1: New tooth: New edges and rib features, full gauge length.

Stage 2: Good wear and cutting performance, nearly full gauge length.

Stage 3: Cutting performance is declining as carbide is blunt and gauge is shorter.

Teeth could be changed or stretched depending on road surface quality requirements.

Stage 4: Carbide on tool offers block protection but no cutting performance. Teeth must be changed.

Informational Icon Guide





Material: Soil



rial:























Low-Medium Horsepower: <100-600HP







High Horsepower: >600HP

